

VFM references, 14th March 2016

- Avril, S., Badel, P., & Duprey, A. (2010). Anisotropic and hyperelastic identification of in vitro human arteries from full-field optical measurements. *Journal of Biomechanics*, 43(15), 2978-2985.
- Avril, S., Bonnet, M., Bretelle, A.-S., Grédiac, M., Hild, F., Ienny, P., . . . Pierron, F. (2008). Overview of identification methods of mechanical parameters based on full-field measurements. *Experimental Mechanics*, 48(4), 381-402. Retrieved from <http://eprints.soton.ac.uk/210619/>
- Avril, S., Grédiac, M., & Pierron, F. (2004). Sensitivity of the virtual fields method to noisy data. *Computational Mechanics*, 34(6), 439-452. Retrieved from <http://eprints.soton.ac.uk/210661/>
- Avril, S., Huntley, J. M., Pierron, F., & Steele, D. D. (2008). 3D heterogeneous stiffness reconstruction using MRI and the Virtual Fields Method. *Experimental Mechanics*, 48(4), 479-494. Retrieved from <http://eprints.soton.ac.uk/210623/>
- Avril, S., & Pierron, F. (2007). General framework for the identification of elastic constitutive parameters from full-field measurements. *International Journal of Solids and Structures*, 44(14-15), 4978-5002. Retrieved from <http://eprints.soton.ac.uk/209497/>
- Avril, S., Pierron, F., Pannier, Y., & Rotinat, R. (2008). Stress reconstruction and constitutive parameter identification in plane-stress elasto-plastic problems using surface measurements of deformation fields. *Experimental Mechanics*, 48(4), 403-419. Retrieved from <http://eprints.soton.ac.uk/210625/>
- Avril, S., Pierron, F., Sutton, M. A., & Yan, J. (2008). Identification of viscoplastic parameters and characterization of Lüders behaviour using digital image correlation and the virtual fields method. *Mechanics of Materials*, 40(9), 729-742. Retrieved from <http://eprints.soton.ac.uk/209667/>
- Berry, A., Robin, O., & Pierron, F. (2014). Identification of dynamic loading on a bending plate using the Virtual Fields Method. *Journal of Sound and Vibration*, 333(26), 7151-7164. doi:<http://dx.doi.org/10.1016/j.jsv.2014.08.038>
- Chalal, H., Avril, S., Pierron, F., & Meraghni, F. (2006). Experimental identification of a nonlinear model for composites using the grid technique coupled to the virtual fields method. *Composites Part A: Applied Science and Manufacturing*, 37(2), 315-325. Retrieved from <http://eprints.soton.ac.uk/210651/>
- Chalal, H., Meraghni, F., Pierron, F., & Grédiac, M. (2004). Direct identification of the damage behaviour of composite materials using the virtual fields method. *Composites Part A: Applied Science and Manufacturing*, 35(7-8), 841-848. Retrieved from <http://eprints.soton.ac.uk/210667/>
- Connesson, N., Clayton, E. H., Bayly, P. V., & Pierron, F. (2015). Extension of the Optimised Virtual Fields Method to Estimate Viscoelastic Material Parameters from 3D Dynamic Displacement Fields. *Strain*, 51(2), 110-134. doi:[10.1111/str.12126](https://doi.org/10.1111/str.12126)
- Considine, J. M., Pierron, F., Turner, K. T., & Vahey, D. W. (2014). General Anisotropy Identification of Paperboard with Virtual Fields Method. *Experimental Mechanics*, 54(8), 1395-1410. doi:[10.1007/s11340-014-9903-1](https://doi.org/10.1007/s11340-014-9903-1)
- Dai, X., & Xie, H. (2015). Constitutive parameter identification of 3D printing material based on the virtual fields method. *Measurement*, 59(0), 38-43. doi:<http://dx.doi.org/10.1016/j.measurement.2014.09.033>
- Devivier, C., Pierron, F., & Wisnom, M. R. (2013). Impact damage detection in composite plates using deflectometry and the Virtual Fields Method. *Composites Part A: Applied Science and Manufacturing*, 48, 201-218. Retrieved from <http://eprints.soton.ac.uk/352013/>
- Forquin, P. (2013). *A new processing of spalling-tests to characterize the dynamic strength of geomaterials*. Paper presented at the Annual conference of the Society for Experimental Mechanics (SEM), Lombard, IL, USA.
- Fu, J., Pierron, F., & Ruiz, P. D. (2013). Elastic stiffness characterization using three-dimensional full-field deformation obtained with optical coherence tomography and digital volume correlation. *Journal of Biomedical Optics*, 18(12), 121512-121512. doi:[10.1117/1.JBO.18.12.121512](https://doi.org/10.1117/1.JBO.18.12.121512)
- Gillard, F., Boardman, R., Mavrogordato, M., Hollis, D., Sinclair, I., Pierron, F., & Browne, M. (2014). The application of digital volume correlation (DVC) to study the microstructural behaviour of trabecular bone during compression. *Journal of the Mechanical Behavior of Biomedical Materials*, 29, 480-499. Retrieved from <http://www.scopus.com/inward/record.url?eid=2-s2.0-84887215316&partnerID=40&md5=188773485a5f26e65af8709bf0a66b06>
- Giraudieu, A., Guo, B., & Pierron, F. (2006). Stiffness and damping identification from full field measurements on vibrating plates. *Experimental Mechanics*, 46(6), 777-787. Retrieved from <http://eprints.soton.ac.uk/210643/>

- Graudeau , A., & Pierron, F. (2003). Simultaneous identification of stiffness and damping properties of isotropic materials from forced vibrating plates. *Comptes Rendus Mecanique*, 331(4), 259-264. Retrieved from <http://eprints.soton.ac.uk/210671/>
- Graudeau, A., & Pierron, F. (2005). Identification of stiffness and damping properties of thin isotropic vibrating plates using the virtual fields method: theory and simulations. *Journal of Sound and Vibration*, 284(3-5), 757-781. Retrieved from <http://eprints.soton.ac.uk/210659/>
- Graudeau, A., Pierron, F., & Guo, B. (2010). An alternative to modal analysis for material stiffness and damping identification from vibrating plates. *Journal of Sound and Vibration*, 329(10), 1653-1672. Retrieved from <http://eprints.soton.ac.uk/210603/>
- Grama, S. N., Subramanian, S. J., & Pierron, F. (2015). On the identifiability of Anand visco-plastic model parameters using the Virtual Fields Method. *Acta Materialia*, 86(0), 118-136.
doi:<http://dx.doi.org/10.1016/j.actamat.2014.11.052>
- Grédiac, M. (1989). Principle of virtual work and identification. *Comptes rendus de l'Académie des Sciences Série II*, 309(1), 1-5. Retrieved from <Go to ISI>://WOS:A1989AB39100001
- Grédiac, M. (1996). On the direct determination of invariant parameters governing anisotropic plate bending problems. *International Journal of Solids and Structures*, 33(27), 3969-3982. Retrieved from <Go to ISI>://WOS:A1996VJ67900002
- Grédiac, M. (1996). The use of heterogeneous strain fields for the characterization of composite materials. *Composites Science and Technology*, 56(7), 841-846. doi:10.1016/0266-3538(96)00030-9
- Grédiac, M. (2004). The use of full-field measurement methods in composite material characterization: interest and limitations. *Composites Part a-Applied Science and Manufacturing*, 35(7-8), 751-761.
doi:10.1016/j.compositesa.2004.01.019
- Grédiac, M., Auslender, F., & Pierron, F. (2001). Applying the virtual fields method to determine the through-thickness moduli of thick composites with a nonlinear shear response. *Composites Part A Applied Science and Manufacturing*, 32(12), 1713-1725. Retrieved from <http://eprints.soton.ac.uk/210683/>
- Grédiac, M., Fournier, N., Paris, P. A., & Surrel, Y. (1998). Direct identification of elastic constants of anisotropic plates by modal analysis: Experimental results. *Journal of Sound and Vibration*, 210(5), 643-659.
doi:10.1006/jsvi.1997.1304
- Grédiac, M., Fournier, N., Paris, P. A., & Surrel, Y. (1999). Direct measurement of invariant mechanical parameters of composite plates. *Journal of Composite Materials*, 33(21), 2017-2036. Retrieved from <Go to ISI>://WOS:000084096800004
- Grédiac, M., & Paris, P. A. (1996). Direct identification of elastic constants of anisotropic plates by modal analysis: Theoretical and numerical aspects. *Journal of Sound and Vibration*, 195(3), 401-415. Retrieved from <Go to ISI>://WOS:A1996VD76100004
- Grédiac, M., & Pierron, F. (1998). A T-shaped specimen for the direct characterization of orthotropic materials. *International Journal for Numerical Methods in Engineering*, 41(2), 293-309. Retrieved from <http://eprints.soton.ac.uk/210699/>
- Grédiac, M., & Pierron, F. (2004). Numerical issues in the virtual fields method. *International Journal for Numerical Methods in Engineering*, 59(10), 1287-1312. Retrieved from <http://eprints.soton.ac.uk/210669/>
- Grédiac, M., & Pierron, F. (2006). Applying the virtual fields method to the identification of elasto-plastic constitutive parameters. *International Journal of Plasticity*, 22(4), 602-627. Retrieved from <http://eprints.soton.ac.uk/210655/>
- Grédiac, M., Pierron, F., Avril, S., & Toussaint, E. (2006). The virtual fields method for extracting constitutive parameters from full-field measurements: a review. *Strain*, 42(4), 233-253. Retrieved from <http://eprints.soton.ac.uk/210645/>
- Grédiac, M., Pierron, F., & Surrel, Y. (1999). Novel procedure for complete in-plane composite characterization using a single T-shaped specimen. *Experimental Mechanics*, 39(2), 142-149. Retrieved from <http://eprints.soton.ac.uk/210691/>
- Grédiac, M., Pierron, F., & Vautrin, A. (1994). The Iosipescu in-plane shear test applied to composites: a new approach based on displacement field processing. *Composites Science and Technology*, 51(3), 409-417. Retrieved from <http://eprints.soton.ac.uk/210713/>
- Grédiac, M., Toukourou, C., & Vautrin, A. (1993). Inverse Problem in Mechanics of Structures: a New Approach Based on Displacement Field Processing. In M. Tanaka & H. Bui (Eds.), *Inverse Problems in Engineering Mechanics* (pp. 147-157): Springer Berlin Heidelberg.

- Grédiac, M., Toussaint, E., & Pierron, F. (2002). Special virtual fields for the direct determination of material parameters with the virtual fields method. 1–Principle and definition. *International Journal of Solids and Structures*, 39(10), 2691-2705. Retrieved from <http://eprints.soton.ac.uk/210681/>
- Grédiac, M., Toussaint, E., & Pierron, F. (2002). Special virtual fields for the direct determination of material parameters with the virtual fields method. 2–Application to in-plane properties. *International Journal of Solids and Structures*, 39(10), 2707-2730. Retrieved from <http://eprints.soton.ac.uk/210679/>
- Grédiac, M., Toussaint, E., & Pierron, F. (2003). Special virtual fields for the direct determination of material parameters with the virtual fields method. 3. Application to the bending rigidities of anisotropic plates. *International Journal of Solids and Structures*, 40(10), 2401-2419. Retrieved from <http://eprints.soton.ac.uk/210673/>
- Grédiac, M., & Vautrin, A. (1990). A new method for determination of bending rigidities of thin anisotropic plates. *Journal of Applied Mechanics-Transactions of the Asme*, 57(4), 964-968. Retrieved from <Go to ISI>://WOS:A1990ER42300025
- Grédiac, M., & Vautrin, A. (1993). Mechanical characterization of anisotropic plates - Experiments and results. *European Journal of Mechanics a-Solids*, 12(6), 819-838. Retrieved from <Go to ISI>://WOS:A1993MT69500004
- Grédiac, M., Vautrin, A., & Verchery, G. (1993). A general method for data averaging of anisotropic elastic constants. *Journal of Applied Mechanics-Transactions of the Asme*, 60(3), 614-618. Retrieved from <Go to ISI>://WOS:A1993MA71900008
- Guelon, T., Toussaint, E., Le Cam, J. B., Promma, N., & Grédiac, M. (2009). A new characterisation method for rubber. *Polymer Testing*, 28(7), 715-723. doi:10.1016/j.polymertesting.2009.06.001
- Hao, W., Guo, G., Zhang, Y., & Chen, X. (2016). Characterizing thermo-mechanical behavior of superalloy using the eigenfunction virtual fields method. *Advances in Engineering Software*, 93, 22-29. doi:10.1016/j.advengsoft.2015.11.006
- Hao, W., Zhang, Y., & Yuan, Y. (2016). Eigenfunction virtual fields method for thermo-mechanical parameters identification of composite materials. *Polymer Testing*. doi:<http://dx.doi.org/10.1016/j.polymertesting.2016.01.016>
- Jiang, L., Guo, B., & Xie, H. (2015). Identification of the elastic stiffness of composites using the virtual fields method and digital image correlation. *Acta Mechanica Sinica*, 31(2), 173-180. doi:10.1007/s10409-015-0410-0
- Kim, J. H., Barlat, F., Pierron, F., & Lee, M. G. (2014). Determination of Anisotropic Plastic Constitutive Parameters Using the Virtual Fields Method. *Experimental Mechanics*, 54(7), 1189-1204. doi:10.1007/s11340-014-9879-x
- Kim, J. H., Lee, G. A., & Lee, M. G. (2015). Determination of dynamic strain hardening parameters using the virtual fields method. *International Journal of Automotive Technology*, 16(1), 145-151. doi:10.1007/s12239-015-0016-3
- Kim, J. H., Serpantié, A., Barlat, F., Pierron, F., & Lee, M. G. (2013). Characterization of the post-necking strain hardening behavior using the virtual fields method. *International Journal of Solids and Structures*, 50(24), 3829-3842. doi:<http://dx.doi.org/10.1016/j.ijsolstr.2013.07.018>
- Kim, J.-H., Nunio, F., Pierron, F., & Vedrine, P. (2010). Identification of the mechanical properties of superconducting windings using the virtual fields method. *IEEE Transactions on Applied Superconductivity*, 20(3), 1993-1997. Retrieved from <http://eprints.soton.ac.uk/210601/>
- Kim, J.-H., Nunio, F., Pierron, F., & Vedrine, P. (2011). Characterizing elastic properties of superconducting windings by simulations and experiments. *Superconductor Science and Technology*, 24(12), 125001-[125016pp]. Retrieved from <http://eprints.soton.ac.uk/210589/>
- Kim, J.-H., Pierron, F., Wisnom, M. R., & Avril, S. (2009). Local stiffness reduction in impacted composite plates from full-field measurements. *Composites Part A: Applied Science and Manufacturing*, 40(12), 1961-1974. Retrieved from <http://eprints.soton.ac.uk/210607/>
- Kim, J.-H., Pierron, F., Wisnom, M. R., & Syed-Muhamad, K. (2007). Identification of the local stiffness reduction of a damaged composite plate using the virtual fields method. *Composites Part A: Applied Science and Manufacturing*, 38(9), 2065-2075. Retrieved from <http://eprints.soton.ac.uk/210631/>
- Koohbor, B., Kidane, A., Lu, W.-Y., & Sutton, M. A. (2016). Investigation of the dynamic stress-strain response of compressible polymeric foam using a non-parametric analysis. *International Journal of Impact Engineering*. doi:<http://dx.doi.org/10.1016/j.ijimpeng.2016.01.007>
- Le Louëdec, G., Pierron, F., Sutton, M. A., Sivior, C., & Reynolds, A. P. (2015). Identification of the Dynamic Properties of Al 5456 FSW Welds Using the Virtual Fields Method. *Journal of Dynamic Behavior of Materials*, 1(2), 176-190. doi:10.1007/s40870-015-0014-6

- Louëdec, G. L., Pierron, F., Sutton, M. A., & Reynolds, A. P. (2013). Identification of the Local Elasto-Plastic Behavior of FSW Welds Using the Virtual Fields Method. *Experimental Mechanics*, 53(5), 849-859. Retrieved from <https://www.scopus.com/inward/record.url?eid=2-s2.0-84877598779&partnerID=40&md5=490add3eb5602c6164531d94b3b819c5>
- Ma, Y., Yao, X., Liu, X., Hao, W., & Fang, D. (2013). Inversion and decoupling of thermo-mechanical deformation in anisotropic materials using the virtual fields method. *Proceedings of the Royal Society A: Mathematical, Physical and Engineering Sciences*, 469(2154). Retrieved from <https://www.scopus.com/inward/record.url?eid=2-s2.0-84877279117&partnerID=40&md5=4f2dbb673e30d02f5577633215587036>
- Moulart, R., Avril, S., & Pierron, F. (2006). Identification of the through-thickness rigidities of a thick laminated composite tube. *Composites Part A: Applied Science and Manufacturing*, 37(2), 326-336. Retrieved from <http://eprints.soton.ac.uk/210653/>
- Moulart, R., Pierron, F., Hallett, S. R., & Wisnom, M. R. (2011). Full-field strain measurement and identification of composites moduli at high strain rate with the virtual fields method. *Experimental Mechanics*, 51(4), 509-536. Retrieved from <http://eprints.soton.ac.uk/210593/>
- Nayakanti, N., & Subramanian, S. J. (2013). *Computation of elastic constants of functionally graded materials using Eigenfunction Virtual Fields Method*. Paper presented at the ASME International Mechanical Engineering Congress and Exposition, Proceedings (IMECE).
- Nguyen, T. T., Huntley, J. M., Ashcroft, I. A., Ruiz, P. D., & Pierron, F. (2014). A Fourier-series-based Virtual Fields Method for the Identification of 2-D Stiffness and Traction Distributions. *Strain*, 50(5), 454-468. doi:10.1111/str.12105
- Nguyen, T. T., Huntley, J. M., Ashcroft, I. A., Ruiz, P. D., & Pierron, F. (2014). A Fourier-series-based virtual fields method for the identification of 2-D stiffness distributions. *International Journal for Numerical Methods in Engineering*, 98(12), 917-936. doi:10.1002/nme.4665
- Nigamaa, N., & Subramanian, S. J. (2014). Identification of orthotropic elastic constants using the Eigenfunction Virtual Fields Method. *International Journal of Solids and Structures*, 51(2), 295-304. doi:<http://dx.doi.org/10.1016/j.ijsolstr.2013.09.021>
- Notta-Cuvier, D., Langrand, B., Lauro, F., & Markiewicz, E. (2015). An innovative procedure for characterising a coupled elastoplastic damage model of behaviour using the Virtual Fields Method. *International Journal of Solids and Structures*, 69-70, 415-427. doi:<http://dx.doi.org/10.1016/j.ijsolstr.2015.05.009>
- Notta-Cuvier, D., Langrand, B., Markiewicz, E., Lauro, F., & Portemont, G. (2013). Identification of Johnson-Cook's viscoplastic model parameters using the virtual fields method: Application to titanium alloy Ti6Al4V. *Strain*, 49(1), 22-45. Retrieved from <http://www.scopus.com/inward/record.url?eid=2-s2.0-84872094033&partnerID=40&md5=c970d11db19845b54e9df2f0580d943b>
- Palmieri, G., Sasso, M., Chiappini, G., & Amodio, D. (2011). Virtual fields method on planar tension tests for hyperelastic materials characterisation. *Strain*, 47(SUPPL. 2), 196-209. Retrieved from <https://www.scopus.com/inward/record.url?eid=2-s2.0-84555197024&partnerID=40&md5=76fa398e3d87f3e5335a48b9402c6083>
- Pannier, Y., Avril, S., Rotinat, R., & Pierron, F. (2006). Identification of elasto-plastic constitutive parameters from statically undetermined tests using the virtual fields method. *Experimental Mechanics*, 46(6), 735-755. Retrieved from <http://eprints.soton.ac.uk/210647/>
- Pierron, F. (2009). A novel method for measuring the through-thickness shear moduli of anisotropic plates from surface deformation measurements. *Composites Part A: Applied Science and Manufacturing*, 40(12), 1815-1825. Retrieved from <http://eprints.soton.ac.uk/210611/>
- Pierron, F. (2010). Identification of Poisson's ratios of standard and auxetic low density polymeric foams from full-field measurements. *Journal of Strain Analysis for Engineering Design*, 45(4), 233-253. Retrieved from <http://eprints.soton.ac.uk/209657/>
- Pierron, F., Avril, S., & Tran, V. T. (2010). Extension of the virtual fields method to elasto-plastic material identification with cyclic loads and kinematic hardening. *International Journal of Solids and Structures*, 47(22-23), 2993-3010. Retrieved from <http://eprints.soton.ac.uk/210599/>
- Pierron, F., & Forquin, P. (2012). Ultra high speed full-field deformation measurements on concrete spalling specimens and stiffness identification with the Virtual Fields Method. *Strain*, 28(5), 388-405. Retrieved from <http://eprints.soton.ac.uk/346985/>

- Pierron, F., & Grédiac, M. (2000). Identification of the through-thickness moduli of thick composites from whole-field measurements using the Iosipescu fixture: theory and simulations. *Composites Part A Applied Science and Manufacturing*, 31(4), 309-318. Retrieved from <http://eprints.soton.ac.uk/210685/>
- Pierron, F., & Grédiac, M. (2012). *The virtual fields method. Extracting constitutive mechanical parameters from full-field deformation measurements*: Springer New-York.
- Pierron, F., Sutton, M. A., & Tiwari, V. (2011). Ultra high speed DIC and virtual fields method analysis of a three point bending impact test on an aluminium bar. *Experimental Mechanics*, 51(4), 537-563. Retrieved from <http://eprints.soton.ac.uk/210595/>
- Pierron, F., Vert, G., Burguete, R., Avril, S., Rotinat, R., & Wisnom, M. R. (2007). Identification of the orthotropic elastic stiffnesses of composites with the virtual fields method: sensitivity study and experimental validation. *Strain*, 43(3), 250-259. Retrieved from <http://eprints.soton.ac.uk/210633/>
- Pierron, F., Zhavoronok, S., & Grédiac, M. (2000). Identification of the through-thickness properties of thick laminated tubes using the virtual fields method. *International Journal of Solids and Structures*, 37(32), 4437-4453. Retrieved from <http://eprints.soton.ac.uk/210687/>
- Pierron, F., Zhu, H., & Siviour, C. (2014). Beyond Hopkinson's bar. *Philosophical Transactions of the Royal Society A: Mathematical, Physical and Engineering Sciences*, 372(2023), 20130195. doi:10.1098/rsta.2013.0195
- Promma, N., Raka, B., Grédiac, M., Toussaint, E., Le Cam, J. B., Balandraud, X., & Hild, F. (2009). Application of the virtual fields method to mechanical characterization of elastomeric materials. *International Journal of Solids and Structures*, 46(3-4), 698-715. doi:10.1016/j.ijsolstr.2008.09.025
- Rahmani, B., Ghossein, E., Villemure, I., & Levesque, M. (2014). In-situ mechanical properties identification of 3D particulate composites using the Virtual Fields Method. *International Journal of Solids and Structures*, 51(18), 3076-3086. Retrieved from <http://www.scopus.com/inward/record.url?eid=2-s2.0-84904264401&partnerID=40&md5=ab91a77fa0471b9d94ce94933ffcb25>
- Rahmani, B., Villemure, I., & Levesque, M. (2014). Regularized virtual fields method for mechanical properties identification of composite materials. *Computer Methods in Applied Mechanics and Engineering*, 278(0), 543-566. doi:<http://dx.doi.org/10.1016/j.cma.2014.05.010>
- Rossi, M., Lava, P., Pierron, F., Debruyne, D., & Sasso, M. (2015). Effect of DIC spatial resolution, noise and interpolation error on identification results with the VFM. *Strain*, 51(3), 206-222. doi:10.1111/str.12134
- Rossi, M., & Pierron, F. (2012). Identification of plastic constitutive parameters at large deformations from three dimensional displacement fields. *Computational Mechanics*, 49(1), 53-71. Retrieved from <http://eprints.soton.ac.uk/210579/>
- Rossi, M., & Pierron, F. (2012). On the use of simulated experiments in designing tests for material characterization from full-field measurements. *International Journal of Solids and Structures*, 49(3-4), 420-435. Retrieved from <http://eprints.soton.ac.uk/209665/>
- Saranath, K. M., & Ramji, M. (2015). Local zone wise elastic and plastic properties of electron beam welded Ti-6Al-4V alloy using digital image correlation technique: A comparative study between uniform stress and virtual fields method. *Optics and Lasers in Engineering*, 68, 222-234. Retrieved from <http://www.scopus.com/inward/record.url?eid=2-s2.0-84922385875&partnerID=40&md5=3d4dc7763e1333ca9f1995be254953b7>
- Sasso, M., Chiappini, G., Rossi, M., Cortese, L., & Mancini, E. (2014). Visco-hyper-pseudo-elastic characterization of a fluoro-silicone rubber. *Experimental Mechanics*, 54(3), 315-328. doi:10.1007/s11340-013-9807-5
- Sato, Y., Arikawa, S., & Yoneyama, S. (2014). *Identification of heterogeneous elastic material characteristics by virtual fields method*. Paper presented at the International Conference on Experimental Mechanics.
- Stamborska, M., Kvikala, M., & Mares, V. (2013). Process of Identifying Stress Fields from Strain Fields in the Specimen with a Hole. *ISRN Materials Science*, 2013, 8. doi:10.1155/2013/536069
- Subramanian, S. J., & Nigamam, N. (2015). On a boundary condition used in Virtual Fields methods. *Mechanics Research Communications*, 63(0), 41-47. doi:<http://dx.doi.org/10.1016/j.mechrescom.2014.11.008>
- Sutton, M. A., Yan, J. H., Avril, S., Pierron, F., & Adeeb, S. M. (2008). Identification of heterogeneous constitutive parameters in a welded specimen: uniform stress and virtual fields methods for material property estimation. *Experimental Mechanics*, 48(4), 451-464. Retrieved from <http://eprints.soton.ac.uk/210621/>
- Syed-Muhammad, K., Toussaint, E., & Grédiac, M. (2009). Optimization of a mechanical test on composite plates with the virtual fields method. *Structural and Multidisciplinary Optimization*, 38(1), 71-82. doi:10.1007/s00158-008-0267-y

- Syed-Muhammad, K., Toussaint, E., Grédiac, M., Avril, S., & Kim, J. H. (2008). Characterization of composite plates using the virtual fields method with optimized loading conditions. *Composite Structures*, 85(1), 70-82. Retrieved from <http://www.scopus.com/inward/record.url?eid=2-s2.0-42949166328&partnerID=40&md5=f458224316375cc09a3de348ae187384>
- Toussaint, E., Grediac, M., & Pierron, F. (2006). The virtual fields method with piecewise virtual fields. *International Journal of Mechanical Sciences*, 48(3), 256-264. Retrieved from <http://eprints.soton.ac.uk/210657/>
- Vavrik, D., Fiala, Z., Grédiac, M., Jandejsek, I., Micka, M., Minster, J., & Pierron, F. (2010). *Identification of material parameters of an orthotropic metal sheet*. Paper presented at the EAN 2010: 48th International Scientific Conference on Experimental Stress Analysis.
- Wang, P., Pierron, F., Rossi, M., Lava, P., & Thomsen, O. T. (2016). Optimised Experimental Characterisation of Polymeric Foam Material Using DIC and the Virtual Fields Method. *Strain*, 52(1), 59-79. doi:10.1111/str.12170
- Wang, P., Pierron, F., & Thomsen, O. T. (2013). Identification of material parameters of PVC foams using Digital Image Correlation and the Virtual Fields Method. *Experimental Mechanics*, 53(6), 1001-1015. doi:10.1007/s11340-012-9703-4
- Wang, P., Pierron, F., Thomsen, O. T., Rossi, M., & Lava, P. (2015). *Uncertainty quantification in VFM identification*. Paper presented at the Conference Proceedings of the Society for Experimental Mechanics Series.
- Xavier, J., Avril, S., Pierron, F., & Morais, J. (2007). Novel experimental approach for longitudinal-radial stiffness characterisation of clear wood by a single test. *Holzforschung*, 61(5), 573-581. Retrieved from <http://eprints.soton.ac.uk/210629/>
- Xavier, J., Avril, S., Pierron, F., & Morais, J. (2009). Variation of transverse and shear stiffness properties of wood in a tree. *Composites Part A Applied Science and Manufacturing*, 40(12), 1953-1960. Retrieved from <http://eprints.soton.ac.uk/210609/>
- Xavier, J., Belini, U., Pierron, F., Morais, J., Lousada, J., & Tomazello, M. (2013). Characterisation of bending stiffness of MDF from full-field slope measurements. *Wood Science and Technology*, 47(2), 423-441. Retrieved from <http://eprints.soton.ac.uk/352012/>
- Yoon, S.-h., Giannakopoulos, I., & Siviour, C. R. (2015). Application of the Virtual Fields Method to the uniaxial behavior of rubbers at medium strain rates. *International Journal of Solids and Structures*, 69–70, 553-568. doi:<http://dx.doi.org/10.1016/j.ijsolstr.2015.04.017>
- Yoon, S.-h., Winters, M., & Siviour, C. R. (2016). High Strain-Rate Tensile Characterization of EPDM Rubber Using Non-equilibrium Loading and the Virtual Fields Method. *Experimental Mechanics*, 56(1), 25-35. doi:10.1007/s11340-015-0068-3
- Zhu, H., & Pierron, F. (2016). Exploration of Saint-Venant's Principle in Inertial High Strain Rate Testing of Materials. *Experimental Mechanics*, 56(1), 3-23. doi:10.1007/s11340-015-0078-1